


Load ceck

Mag. Thomas Griesmayer

Interfaces



- Run out of space and the file was written incomplete - less than 20000 lines
- Dataformat changed - more than 20 errors
-

File incomplete

```
sed -e 's://"//g' $FILE_NAME | sed -e 's/ ;/;/' |
    sed -e 's/,/./g' |
    dos2unix >../data/FACT_SALES_GRIESMAYER.csv
if [ `wc -l ../data/FACT_SALES_GRIESMAYER.csv` |
    sed -e 's/ .*//' -lt 20000 ]
then
    >&2 echo Missing data in file $FILE_NAME.
    >&2 echo The file has only
        `wc -l ../data/FACT_SALES_GRIESMAYER.csv` lines.
    exit 16
fi
```

SQL*Loader error

```
sqlldr griesmayer/oracle skip=1
  data=../data/FACT_SALES_GRIESMAYER.csv
  control=griesmayer_sales_staging.ldr
  log=../log/$JUST_NAME.log
  bad=../log/$JUST_NAME.bad
  errors=20
if [ $? -ne 0 ]
then
  >&2 echo Wrong data in file $FILE_NAME.
  >&2 echo Check log ../log/`echo $BASE_NAME |
                                sed -e 's/\..*$/`'`.log
exit 17
fi
```