

Screenshot Eclipse Version Oxygen






🖨 Eclipse - Eclipse							-	. 0	×
File Edit Source Refactor I	Navigate Search Proj	ect Run Window Help							
🔁 • 🔒 💼 💠 • 🔘	- 🎴 - 💁 - 🖶	🞯 - 🍃 🗁 🔗 - 🕲 - 🕅	• ₩ • ₩ • ♥ ↔ •	⇒ -			Quick	Access	r 1
🚦 Package Explorer 🔀	- 8					- 8	🗐 Task List 🖇		
		Problems X @ Javadoc [0 items Description	Declaration	Resource	Path	Loc		All Mylyn o your task a	and ALM 1
<u> </u>								1 🗇 🖻	1 🏏 🔞

 Eclipse - Eclipse File Edit Source Refactor Navigate Search Project 	Run Window Heln	– 0 ×
	* + [❷ @ ở ở • [◎ •] ≥ [월 • 점 • ♡ ↔ • ↔ •	Quick Access
🛱 Package Explorer 🛛 🗖 🗖		
	1	🕋 🔟 🕿 🏸 🎯


🖨 New Java Project					×
Create a Java Project Enter a project name.					5
Project name: ✓ Use <u>d</u> efault location Location: D:\SS2018\2AKIF\Eclipse			B <u>r</u> ow	/se	
JRE • Use an execution environment JRE: • Use a project specific JRE: • Use default JRE (currently 'jre1.8.0_144')	JavaSE-1.8 jre1.8.0_144		Configur	× × •e JREs	
Project layout O Use project folder as root for sources and © Create separate folders for sources and of Working sets		<u>(</u>	Configure c	default	
? < <u>B</u> ack	<u>N</u> ext >	<u>F</u> inish	C	ancel	

🖨 Eclipse - Eclipse		– 0 ×
Eile Edit Source Refactor Navigate Search Project Run Window Help		
☆ • 🗐 🐚 巻 • 🔿 • 🎴 • 🤮 • 🕐 🔗 • 🕲 • 🔌 • 🕅 • 🦄	▋ ▼ ∜⊃ <⊃ ▼ <> ▼	Quick Access
Package Explorer 🔀 🗖 🗖		- 8
 ✓ 25_Eclipse_Student > ▲ JRE System Library [JavaSE-1.8] 		
< >		
05_Eclipse_Student	1	· 🕋 🔟 🕿 🎽 🙆

	📕 🛛 🔁 📕 🔻 🛛 D:\SS2018\2A	\KIF\20180227_2	AKIF\Code_Student\Code_Student			
🔁 • 🔒 🕼 🔅 • 🜔 • 🎴 •	Datei Start Freigeben	Ansicht				
📱 Package Explorer 🖾	← → · ↑ 🖡 > Dieser I	PC > Data (D:)	> SS2018 > 2AKIF > 20180227_2A	KIF > Code_Student > Code_Stude	ent	ע ט "Code_St
E 2	📕 PH	* ^	Name	Änderungsdatum	Тур	Größe
✓ 😂 05_Eclipse_Student	📕 FIT2018	*	🕫 package.bluej	27.02.2018 13:52	BlueJ Project File	2 KB
> 🛋 JRE System Library [JavaSE	📕 fit2018	*	README.TXT	27.02.2018 13:52	Textdokument	1 KB
✓ 🕭 src	📕 SS2018	*	School.class	27.02.2018 13:52	CLASS-Datei	4 KB
 (default package) I Test.java 	20180227_2AKIF		School.ctxt	27.02.2018 13:52	CTXT-Datei	1 KB
> Test.Java	Lehrauftritt2		School.java	27.02.2018 13:52	JAVA-Datei	4 KB
	Mail nach dem Unterrig	tht noch sen	Student.class	27.02.2018 13:52	CLASS-Datei	4 KB
	Quadrat		Student.ctxt	27.02.2018 13:52	CTXT-Datei	2 KB
	Quadrat		Student.java	27.02.2018 13:52	JAVA-Datei	5 KB
	 OneDrive Dieser PC 3D-Objekte 		Test.class	27.02.2018 13:52	CLASS-Datei	4 KB
			Test.ctxt	27.02.2018 13:52	CTXT-Datei	1 KB
			Test.java	27.02.2018 13:52	JAVA-Datei	7 KB
	Bilder		🖬 UML.odt	27.02.2018 13:52	OpenDocument-T	16 KB
			Vorlage.ods	27.02.2018 13:52	OpenDocument-K	10 KB
	a Desktop					
	🐚 Dokumente					
	🔈 Downloads					
	🚺 Musik					
	🛅 Videos					
	👟 Boot (C:)					
	🔪 Data (D:)	~				
¢	13 Elemente 3 Elemente au	usgewählt (13,8 k	(B)			




Eclipse - 05_Eclipse_Student/	/src/Test_School.java - Eclipse			- 0 ×
Eile Edit Source Refactor Na	New	>		
🔁 - 🗐 🗟 - 💽 -	Open Open With	F3 ,	〕 Ⅲ Ⅲ ♀ ♀ ☆ ☆ + ☆ ↓ ☆ + ☆ ↓ ↓	Quick Access
増 Package Explorer 🖾	Open Type Hierarchy Show In	F4 Alt+Shift+W >	I *Test_School.java ⋈	
✓ 205_Eclipse_Student > ■ JRE System Library	Copy Copy Qualified Name	Ctrl+C	1	
 ✓ ∰ src ✓ ∰ (default packaç 	Paste	Ctrl+V Delete	main(String[] args)	
 J School.java J Student.jav J Test_School Test_java 	Remove from Context	Ctrl+Alt+Shift+Down > Alt+Shift+S > Alt+Shift+T >	nerated method stub	-
	🔄 Import 🚰 Export			
	References Declarations	>		
	Refresh Assign Working Sets	F5		
	Coverage As	>		
	Run As	>	1 Java Application Alt+Shift+X, J	
	Debug As Validate	>	Run Configurations	
<	Restore from Local History Team Compare With	>		~
Test_School.java - 05_Eclip	Replace With Properties	> Alt+Enter		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



Eclipse - 05_Eclipse_Student/src/Test_School.j Eile Edit Source Refactor Navigate Search E	-		-	٥		×
📑 • 🗐 🕼 🕸 • 🕥 • 💁 • 🤷 •	₽	3 • : 😂 🗀 🛷 • : 🚏 ಶ 💝 💷 🗻 : 🎱 • : 🔌 : 🐓 • 🐔 • 🏷 🔇	□ • □> • Quick Acces	s	E	影
💾 Package Explorer 🖾 🗖 🗖	3	👔 School.java 🔹 👔 Test_School.java 🛛 👔 Test.java 🔹 👔 Student.java				
 ► System Library [JavaSE-1.8] ► Brance System Library [JavaSE-1.8] ► Brance Generation (JavaSE-1.8) ► Brance Generation	-	<pre>1 2 public class Test_School // von Eclipse generiert 3 { 4 5 public static void main(String[] args) 6 { 2 7 // TODO Auto-generated method stub 8 Test t; 9 10 t = new Test(); 11 t.testAbmelden(); 12 } 13 14 } </pre>				^
		4++ J <			>	~
		🖳 Console 🖾	🔲 🗶 💥 🚉 🛃 🕑 🚍 🛃 🖃 - [<u>*</u>		
<		terminated> Test_School [Java Application] C.\Program Files\Java\jre1.8.0_144\bin\jav Fehler: in keiner Schule angemeldet! Fehler: Student nicht in dieser Schule! Student: Werner (21 Jahre) - Frau Student: Gudrun (31 Jahre) - Mann Student: Gudrun (31 Jahre) - Frau Student: Susi (29 Jahre) - Frau Student: Gudrun (31 Jahre) - Frau	vaw.exe (27.02.2018, 14:12:05)			* *
N		Writable Smart Insert 11 : 26	· · · · · · · · · · · · · · · · · · ·	D r	= 7	۹ 🕝

Eclipse - 05_Eclipse_Student/src/Test_School.jav Eile Edit Source Refactor Navigate Search Pro		- 0 ×
📑 • 🗐 🕼 🕸 • 🕥 • 💁 • 🚱 • 📑	? ♂ - ! 😤 🗁 🚀 - ! 🚏 🗾 🧊 🗐 🗐 🦉 - ! 🔌 🛁 😤 - ? ? >	
💾 Package Explorer 🔀 📃 🗖	🔊 School.java 🕐 Test_School.java 🛛 💭 Test.java 🔹 🕽 Student.java	
 Student Student Student Strain (JavaSE-1.8) Strain (default package) Student java Student java Test_School.java Test_java 	<pre>1 2 public class Test_School // von Eclipse generiert 3 { 4 5 public static void main(String[] args) 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7</pre>	
	Console 🔀	• × 💥 🔩 🖬 🔛 🕊 🛃 - 😁 - 🗆
	<pre>cterminated> Test_School [Java Application] C.\Program Files\Java\jre1.8.0_144\bin\javav Fehler: in keiner Schule angemeldet! Fehler: Student nicht in dieser Schule! Student: Susi (29 Jahre) - Frau Student: Werner (21 Jahre) - Mann Student: Gudrun (31 Jahre) - Frau</pre>	v.exe (27.02.2018, 14:12:05)
< >	Student: Susi (29 Jahre) - Frau Student: Gudrun (31 Jahre) - Frau Writable Smart Insert 11:26 :	, v ∕a (0) ≠ 2 (0)



ofile name: Mein_Profil			Export
lentation Braces Parentheses White Space Blank Li	nes New Lines Control Statem	nts Line Wrapping Comments Off/On Tags	
Brace positions		Preview:	Show invisible character
Class or interface declaration:	Next line	/**	
Anonymous class declaration:	Next line	* Braces	
		interface Empty	
Constructor declaration:	Same line		
Method declaration:	Next line	× 3	
Enum declaration:	Next line	enum MyEnum	
Enum constant body:	Next line	UNDEFINED(0)	
Enam constant body.		void foo()	
Annotation type declaration:	Next line	´ { ``	
Blocks:	Next line	· }	
Blocks in case statement:	Next line	}	
'switch' statement:	Next line	@interface SomeAnnotationType	
Array initializer:	Same line	}	
Keep empty array initializer on one line	Same line	class Example	
Lambda body:	Next line Next line indented	 . .	>
	Next line on wrap		

	udent/src/School.java - Eclipse or Navigate Search Project Run Window	Help		•			- 0 ×
	🔘 • 🎴 • 🎴 • 🖶 🗑 🏵 🖉		Ş	Undo Revert File	Ctrl+Z		Quick Access
増 Package Explorer 🕮				Save Open Declaration	Ctrl+S F3	🚺 *Teacher.ja	va 🗌 🗌
	at 4 publi brary [JavaSE-1.8] 5 {	t java.util.Ar c class School		Open Type Hierarchy Open Call Hierarchy Show in Breadcrumb	F4 Ctrl+Alt+H Alt+Shift+B		^
✓ ₩ src ✓ ₩ (default p > ₩ School > Stu	ackage) 7 I.java 80 p	rivate ArrayL: ublic School()		Quick Outline Quick Type Hierarchy Open With Show In	Ctrl+O Ctrl+T > Alt+Shift+W >		
> D Tea > D Tea > D Tes > D Tes	Toggle Comment Add Block Comment Remove Block Comment Generate Element Comment	Ctrl+/ Ctrl+Shift+/ Ctrl+Shift+\ Alt+Shift+J		Cut Copy Copy Qualified Name	Ctrl+X Ctrl+C		
	Correct Indentation Format	Ctrl+I Ctrl+Shift+F		Paste Quick Fix	Ctrl+V Ctrl+1		
	Format Element Add Import Organize Imports Sort Members	Ctrl+Shift+M Ctrl+Shift+O	Source Refactor Surround With Local History	Alt+Shift+S > Alt+Shift+T > Alt+Shift+Z > >			
	Clean Up Override/Implement Methods Generate Getters and Setters			References Declarations Add to Snippets	>	ts in einer	Schule angemeldet!");
	Generate Delegate Methods Generate hashCode() and equals() Generate toString() Generate Constructor using Fields Generate Constructors from Superclass		•	Coverage As Run As Debug As Validate Create Snippet	> >		Updates Available X Updates are available for your software. Click to review and install updates.
	Generate JavaFX Getters and Setters Externalize Strings			Team	>		Set up <u>Reminder options</u>

Eclipse - 05_Eclipse_Student/src/Teacher.java - E File Edit Source Refactor Navigate Search Proj			Ctrl+Z		- 0	×
📑 - 🗐 👘 🔅 - 🔘 - 🎴 - 🏰		Undo Typing Revert File		<	Quick Access	影
💾 Package Explorer 🔀 📃 🗖	🔊 School.java 🚺 T		Ctrl+S	a 🚺 *Teacher.java 🔀		
Image: System Library [JavaSE-1.8] > Image: System Library [JavaSE-1.8]	1 2 public class T 4 4 5 private St 6 private in 7 private b 8	Open Declaration Open Type Hierarchy Open Call Hierarchy Show in Breadcrumb Quick Outline Quick Outline Quick Type Hierarchy Open With Show In	F3 F4 Ctrl+Alt+H Alt+Shift+B Ctrl+O Ctrl+T > Alt+Shift+W >	n <u>passen</u> -> Formatter -> Code Style		^
> 🚺 Student.java	9					-
> 🔟 Teacher.java > 🔟 Test_School.java > 艇 Test.java		Cut Copy Copy Qualified Name	Ctrl+X Ctrl+C	Toggle Comment Remove Block Comment Generate Element Comment	Ctrl+/ Ctrl+Shift+\ Alt+Shift+J	
		Paste	Ctrl+V	Correct Indentation	Ctrl+I	
	<	Quick Fix	Ctrl+1	Format	Ctrl+Shift+F	ſ
	E Console	Source Refactor Local History	Alt+Shift+S > Alt+Shift+T > >	Format Element Add Import Organize Imports	Ctrl+Shift+M Ctrl+Shift+O	8
	<terminated> Test_School [Fehler: in keiner S Fehler: Student nic</terminated>	References Declarations	>	Sort Members Clean Up		^
	Student: Susi (29 J	Add to Snippets		Override/Implement Methods		
	Student: Werner (21 Student: Gudrun (31 Student: Susi (29 J Student: Gudrun (31	Coverage As Run As Debug As Validate Create Snippet	>	Generate Getters and Setters Generate Delegate Methods Generate hashCode() and equals() Generate toString() Generate Constructor using Fields		
	<	Team	>	Generate Constructors from Superclas	55	~
,		Compare With	>	Generate JavaFX Getters and Setters		
	Writable Smart	•		Externalize Strings		\bigcirc


Generate Getters and Setters			\times
Select getters and setters to create:			
 alter eclipse 		Select <u>A</u> ll	
> _ name]	<u>D</u> eselect A	JI
	S	elect <u>G</u> ette	ers
	S	e <u>l</u> ect Sette	ers
Allow setters for final fields (remove 'final' modifier from fields if necessary)			
Insertion point:			
After 'eclipse'			~
S <u>o</u> rt by:			
Fields in getter/setter pairs			~
Access modifier			
● public ○ protected ○ package ○ private			
☐ <u>f</u> inal ☐ synchronized			
Generate method comments			
The format of the getters/setters may be configured on the <u>Code Templates</u> prefe	oronco	2200	
The format of the getters/setters may be configured on the <u>code templates</u> prete	erence	paye.	
ОК		Cancel	

Eclipse - 05_Eclipse_Student/src/Teacher.java - E Eile Edit Source Refactor Navigate Search Proj		lelp				- 0 ×
🔁 • 🗐 🕼 🕸 • 🔿 • 💁 • 💁 • 🖶	° 🕝 🔹 🍅 🖨 🦂	- 🚏 ಶ 💱 💷	1 🕘 🔹 🔌	🐓 - 👌 - 🏷 🔶	• 🖒 •	Quick Access
🛱 Package Explorer 🔀 🗖 🗖	🕖 School.java	Test_School.java	🕖 Test.java	J Student.java	🚺 *Teacher.java 🔀	
 Sections estudent Sections estudent Sections estudent (Javasee1.8) Sections estudent (Javasee1.8) Sections estudent package) Student package Sections estudent estude	6 priv 7 priv 8<	<pre>ate String name; ate int alter; ate int alter; ate boolean eclipse ic String getName() return name; ic void setName(Str this.name = name; ic int getAlter() return alter; ic void setAlter(in this.alter = alter; ic boolean isEclips return eclipse; ic void setEclipse(this.eclipse = ecli</pre>	ing name) t alter) e() boolean eclips	e)		
	Writable	Smart Insert 7 : .	29 🔗	2		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Eile Edit Source Refactor Navigate Search Proj : 📸 ▾ 🔚 🐚 : 🎋 ▾ 💽 ▾ 🎴 ▾ 💁 ▾ : 🛱		Undo Typing Revert File	Ctrl+Z	- ☆ - * -> -	Quick Ad	ccess 🗄 😭 🐉
Package Explorer Constraints Package Explorer Constraints Constraints	School.ja 3 { 4 5 6 7 8 9	Open Declaration Open Type Hierarchy Open Call Hierarchy Show in Breadcrumb Quick Outline Quick Type Hierarchy	Ctrl+S F3 F4 Ctrl+Alt+H Alt+Shift+B Ctrl+O Ctrl+T	Studentjava		^
> 🕢 School.java > 💟 Student.java	10 11⊖	Open With Show In	> Alt+Shift+W			
> 🕗 Teacher.java > 📝 Test_School.java > 🔊 Test.java	12 13 14 15⊝	Cut Copy Copy Qualified Name Paste	Ctrl+X Ctrl+C Ctrl+V	Toggle Comment Remove Block Comment Generate Element Comment Correct Indentation	Ctrl+/ Ctrl+Shift+\ Alt+Shift+J Ctrl+I	
	16 17	Quick Fix Source	Ctrl+1 Alt+Shift+S >	Format	Ctrl+Shift+F	
	18 19⊖ 20 21 22 23⊝	Refactor Local History References Declarations	Alt+Shift+T> >>	Format Element Add Import Organize Imports Sort Members Clean Up	Ctrl+Shift+M Ctrl+Shift+O	
	24 25 26 27 28 29 29	Coverage As Run As Debug As Validate	>	Override/Implement Methods Generate Getters and Setters Generate Delegate Methods Generate hashCode() and equal Generate toString() Generate Constructor using Fiel Generate Constructor sfrom Sup	ls() ds	Ţ
<>	Writable	Compare With	>	Generate JavaFX Getters and Se Externalize Strings	etters) 🗇 🗢 🏸 🌀

Generate Constructor using Fields	— 🗆 X
Select super constructor to invoke:	
Object()	~
Select fields to initialize:	
✓ □ name	Select <u>A</u> ll
 ✓ □ alter ✓ □ eclipse 	Deselect All
	<u>U</u> p
	Do <u>w</u> n
Insertion point:	
After 'eclipse'	~
Access modifier	
● <u>public</u> ○ protected ○ package ○ pri <u>v</u> ate	
Generate constructor <u>c</u> omments	
Omit call to default constructor super()	
The format of the constructors may be configured on the Code Templates preference	nce page.
i 3 of 3 selected.	
СК	Cancel

type filter text > Resource Builders Coverage Java Build Path > Java Code Style Clean Up Code Templates Formatter Organize Imports > Java Compiler > Java Compiler > Java Editor Java Editor Java Editor Project References Refactoring History Run/Debug Settings > Task Repository Task Tags > Validation WikiText Code Templates Configure generated code and comments: Verriding methods Delegate methods Getters Scattere Pattern: Pattern: Organize Imports	Properties for 05_Eclipse_Student				\times
Builders Coverage Java Build Path ✓ Java Code Style Clean Up Code Templates Formatter Organize Imports > Java Compiler > Java Editor Javadoc Location Project References Refactoring History Run/Debug Settings > Task Repository Task Tags > Validation WikiText ✓ Enable project specific settings ✓ Comments Files Types Fields Constructors Methods Delegate methods Getters Catter ✓ ** * \${tags} > Validation WikiText	type filter text	Code Templates		<> - <>	• •
Java Build Path Java Build Path Validation WikiText Java Build Path Validation Va	Builders		Configure W	/orkspace Set	tings
 Java Code Style Clean Up Code Templates Formatter Organize Imports Java Compiler Java Compiler Java Editor Javadoc Location Project References Refactoring History Run/Debug Settings Task Repository Task Tags Validation WikiText Kethods Constructors Methods Delegate methods Getters Sattare Pattern: Validation Validati		<u>C</u> onfigure generated code and comments:			
Task Tags Validation WikiText Automatically add comments <u>for</u> new methods and types	 Java Code Style Clean Up Code Templates Formatter Organize Imports Java Compiler Java Editor Java Editor Javadoc Location Project References Refactoring History Run/Debug Settings 	Files Types Fields Constructors Methods Overriding methods Delegate methods Getters Catter: Pattern:	~	l <u>m</u> port. E <u>x</u> port.	
Restore Defaults Apply Apply and Close Cancel	Task Tags > Validation	*/ ✓ Automatically add comments <u>f</u> or new methods and types Resto	re <u>D</u> efaults	<u>Apply</u> Cancel	>



	ect Run Window Help			~	
ڬ - 🗒 🕼 🎋 - 🔘 - 🎴 - 🍓 - 🛱	G • : ⊠ ⊡ ∧∕ • : :	🍟 💋 🖓 ピ 🗉 🔟 🎱 🕇 🍭 🕇		• • •	Quick Access
📱 Package Explorer 🔀 👘 🗖	🔊 School.java	🕽 Test_School.java 🛛 🔊 Test.java	🚺 Student.java	🚺 *Teacher.java 🛛	
 Construction Construction<	4 // -> Win 5 private : 7 private : 8 private : 9 public T. 11 //su 12 //th. 13 //th. 14 //th. 215 set] 16 } 17 18 public S 19 { 20 retu 21 } 22 public v 24 { 25 this 27 public i 29 //th.	Lung Code-Style anpassen Indow / Preferences -> Formatte String name; int alter; boolean eclipse; feacher(String name, int alter; is.name = name; // Kr: iis.name = alter; // Kr: iis.alter = alter; // Kr: iis.alter = alter; // sis.eclipse = eclipse; setAlter(int alter): void - Teacher setEclipse(boolean eclipse): void - Teacher setName(String name): void - Teacher setName(String name): void - Teacher Set - java.util SetEclipsersion - javafx.collection: SetExpression - javafx.beans.binding SetColfintegerSyntax - javax.print.attrib SetEvOrerideType - org.org.CORBA	, boolean eclipse itik: keine Verwe / Empfehlung: Kon acher r	<pre>:) { indung der set-Methoder istruktoren selbst imp] </pre>	

